

Study or Subgroup	Post Pyloric Feeding		Gastric Feeding		Weight	Risk Ratio IV, Random, 95% CI	Year
	Events	Total	Events	Total			
Montecalvo 1992	5	19	5	19	2.6%	1.00 [0.35, 2.90]	1992
Kortbeek 1999	4	37	3	43	1.4%	1.55 [0.37, 6.48]	1999
Kearns 2000	5	21	6	23	2.8%	0.91 [0.33, 2.55]	2000
Boivin 2001	18	40	18	40	12.4%	1.00 [0.62, 1.62]	2001
Esparza 2001	10	24	11	27	6.8%	1.02 [0.53, 1.97]	2001
Davies 2002	4	34	5	39	1.9%	0.92 [0.27, 3.14]	2002
Montejo 2002	19	50	22	51	13.0%	0.88 [0.55, 1.42]	2002
Eatock 2005	7	22	5	27	2.9%	1.72 [0.63, 4.67]	2005
Kumar 2006	4	14	5	16	2.4%	0.91 [0.30, 2.75]	2006
Hsu 2009	26	59	24	62	16.1%	1.14 [0.74, 1.74]	2009
White 2009	11	50	5	54	3.0%	2.38 [0.89, 6.36]	2009
Acosta-Escribano 2010	6	50	9	54	3.2%	0.72 [0.28, 1.88]	2010
Singh 2012	7	39	4	39	2.2%	1.75 [0.56, 5.50]	2012
Huang 2012	20	48	17	48	11.3%	1.18 [0.71, 1.96]	2012
Davies 2012	13	91	12	89	5.5%	1.06 [0.51, 2.19]	2012
Friedman 2015	20	54	22	61	12.5%	1.03 [0.63, 1.66]	2015
Total (95% CI)		652		692	100.0%	1.08 [0.91, 1.28]	
Total events	179		173				
Heterogeneity: Tau ² = 0.00; Chi ² = 6.23, df = 15 (P = 0.98); I ² = 0%							
Test for overall effect: Z = 0.86 (P = 0.39)							

